DESCRIPTION	QTY	UOM	PRICE USD	TOTAL
Halogen-free corrugated installation hose with all fittings and connecting elements and clamps (3 pcs/1m), (installation in the building), (Dietzel Univolt FX) or equivalent. Inner diameter: - Ø16	200	m	0.36	72.22
- Fiber optic patch panel (drawer) and box 19", 1HU, equipped with a splice cassette for up to 24 fibers, together with accessories and with fiber optic SC duplex OM3 pigtails 2m long, with 12 SC duplex OM3 adapters (Schrack Technik HSELS243CP or equivalent)	8	pcs	133.60	1,068.83
- panel for patch cable management, height 1HU (Schrack Technik DBK14805-- or equivalent)	12	pcs	18.96	227.49
Fiber optic cable for underground laying, with 8 OM3 fibers, with rodent protection, for direct burial, with PE jacket	400	m	3.61	1,444.36
- Fiber optic patch panel (drawer) and box 19", 1HU, equipped with a splice cassette for up to 24 fibers, together with accessories and with fiber optic SC duplex OM3 pigtails 2m long, with 12 SC duplex OM3 adapters (Schrack Technik HSELS243CP or equivalent)	3	pcs	133.60	400.81
- panel for patch cable management, height 1HU (Schrack Technik DBK14805-- or equivalent)	5	pcs	18.96	94.79
Fiber optic cable for underground laying, with 8 OM3 fibers, with rodent protection, for direct burial, with PE jacket	200	m	3.61	722.18
- Fiber optic patch panel (drawer) and box 19", 1HU, equipped with a splice cassette for up to 24 fibers, together with accessories and with fiber optic SC duplex OM3 pigtails 2m long, with 12 SC duplex OM3 adapters (Schrack Technik HSELS243CP D267or equivalent)	10	pcs	146.24	1,462.41
Fiber optic patch panel (drawer) and box 19", 1HU, equipped with a splice cassette for up to 24 fibers, together with accessories and with fiber optic E2000/APC SM pigtails 2m long, with 12 E2000/APC compact adapters	1	pcs	144.44	144.44
- optical patch cord multimode SC duplex - LC duplex OM3, length 2m, LSZH (Schrack Technik HLP23LC02F or equivalent)	10	pcs	8.12	81.25
- optical patch cord multimode LC duplex - LC duplex OM3, length 10m, LSZH (Schrack Technik HLP23LL10F or equivalent)	60	pcs	10.83	649.96

- Voice-panel equipped with 25 ports 1HU (Schrack Technik HSERU25IGC or equivalent)	1	pcs	45.14	45.14
- panel for patch cable management, height 1HU (Schrack Technik DBK14805-- or equivalent)	32	pcs	18.96	606.63
- Fiber optic patch panel (drawer) and box 19", 1HU, equipped with a splice cassette for up to 24 fibers, together with accessories and with fiber optic SC duplex OM3 pigtails 2m long, with 12 SC duplex OM3 adapters (Schrack Technik HSELS243CP or equivalent)	2	pcs	133.60	267.21
- optical patch cord multimode SC duplex - LC duplex OM3, length 2m, LSZH (Schrack Technik HLP23LC02F or equivalent)	2	pcs	8.12	16.25
- optical patch cord multimode LC duplex - LC duplex OM3, length 10m, LSZH (Schrack Technik HLP23LL10F or equivalent)	12	pcs	10.83	129.99
- Modular patch panel 1HU for the installation of 24 RJ45 modules, equipped with RJ45 Cat.6A shielded micro jacks on the patch panel side (Schrack Technik HSER0240GS, HSEMRJ6GWA or equivalent)	7	pcs	207.63	1,453.39
- Voice-panel equipped with 25 ports 1HU (Schrack Technik HSERU25IGC or equivalent)	1	pcs	45.14	45.14
- panel for patch cable management, height 1HU (Schrack Technik DBK14805-- or equivalent)	18	pcs	18.96	341.23
- optical patch cord multimode LC duplex - LC duplex OM3, length 10m, LSZH (Schrack Technik HLP23LL10F or equivalent)	2	pcs	10.83	21.67
- Modular patch panel 1HU for the installation of 24 RJ45 modules, equipped with RJ45 Cat.6A shielded micro jacks on the patch panel side (Schrack Technik HSER0240GS, HSEMRJ6GWA or equivalent)	3	pcs	207.63	622.88
- Voice-panel equipped with 25 ports 1HU (Schrack Technik HSERU25IGC or equivalent)	9	pcs	45.14	406.23
- panel for patch cable management, height 1HU (Schrack Technik DBK14805-- or equivalent)	15	pcs	18.96	284.36
Shielded micro socket cat.6a for the installation in structured cabling system socket (Schrack Technik HSEMRJ6GWA or equivalent)	40	pcs	8.49	339.42
Shielded micro socket cat. 6a for the installation in surface wall mounted socket installed in the housing of IP equipment devices. (Schrack Technik HSEMRJ6GWA or equivalent)	123	pcs	8.49	1,043.73
Shielded patch cord RJ45-RJ45 Cat.6A, length 2m, LS0H (Schrack Technik H6GTG02K0G or equivalent)	123	pcs	11.01	1,354.63

Fiber optic cable for underground laying, with 8 OM3 fibers, with rodent protection, for direct burial, with PE jacket	500	m	3.61	1,805.45

15,152.06